



2002CPDS POCKET DOOR STRIKE TECHNICAL DETAILS



POCKET DOOR STRIKE

- For "dummy doors" on double door openings
- 3 3/8" deep mortise body standard (2 7/8" depth is readily available when specified as 2002CPDS-SD)
- Spring loaded edge pull that pops out with the press of a button allowing for comfortable operation to pull door out of the pocket





TECHNICAL SPECS

3 3/8" overall depth standard 2 7/8" overall depth available (specify as 2002CPDS-SD)

Case: Heavy Gauge, Wrought (11/16" thick)

Armor Front: 1" wide, 8" tall standard made from brass, bronze or stainless steel, and finished as required.



Available as SilentPac™ 2002CPDS-Q Quiet Pocket Door Strike featuring a quiet, slow release edge pull.

| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1

ACCURATE LOCK & HARDWARE MANUFACTURERS OF CUSTOM LOCKS AND ARCHITECTURAL HARDWARE

1 Annie Place | Stamford, CT 06902

P: 203.348.8865 **F:** 203.348.5234

E: sales@accuratelockandhardware.com

www.accuratelockandhardware.com

AMERICAN CRAFTE

11 | 10 | 9 | 8 | 7 | 6 | 5