

Part #Description01Top Knob02Finished Wash	
01 Top Knob	1
-	
	ner
03 Spout $6^{3}/4^{2}$ – Eco	brass
6 3/4" — 04 Flat Rubber Was	
05 Spout O-Ring	
06 Body – Ecobra	0
07 Bridge Union	
08 Aerator Wash	
9 1/4" 09 Aerator Filte	
8 1/4" 10 Aerator Cove	
11 Handle Escutch	
12 Vertical Handle S	
13 Handle Screw	
<sup>3"</sup> <sup>10</sup> <sup>10</sup> <sup>10</sup> <sup>11</sup> <sup>11</sup> <sup>11</sup> <sup>11</sup> <sup>11</sup>	
15 Finished Wood/W	
Ceramic Hand	
6" - 8" Spread 17 Bell Escutched	
18 Finished Ball For	
$\frac{16}{19} = \frac{1}{2}$ Washer	Lever
Hole Drilling = 1 1/4" 20 Valve Body & Ell	
Ecobrass	J0w -
Technical Information21EconassSecurity21Escutcheon	
Valve Thread	
NSF / ANSI 61 & 372 / ASME A112.18.1 / CSA B125.1 / Ecobrass	_
CEC ARTYS3 / WATERNENNE certified	
<ul> <li>Requires 1 ¼" hole drilling.</li> <li>Requires 1 ¼" hole drilling.</li> <li>23 Sealing Screw Metal Ring &amp; Ru</li> </ul>	
Conton holes adjustable 6" 9"	lober
Vasiter Vasiter	-
	haaaa
	-
<ul> <li>Extra cost for hand painted handles.</li> <li><sup>1</sup>/<sub>2</sub>" male connections.</li> </ul>	~
<ul> <li>Maximum flow rate is 1.2 GPM / 5.45 L / mn with new low flow restrictor.</li> </ul>	
• Available finishes are French Weathered Brass (47), Polished	
Chrome (48), SoliBrass (49), Lacquered Matte Black Nickel	
(50), Old Gold (52), Old Silver (53), Polished Brass (55),	
Polished Nickel (56), Brushed Nickel (57), Satin Nickel (60),	
Antique Lacquered Copper (67), Antique Lacquered Brass	
(68), Weathered Brass (70), Lacquered Polished Black	
Nickel (71) and Lacquered Polished Copper (80).	
<ul> <li>Please See Cleaning Instructions:</li> </ul>	
http://herbeau.com/CleaningAll.pdf For Finish Care and	
Maintenance Information.	





Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.

