

PRODUCT	DESCRIPTION:

Adjustable feet

5 days

Contemporary style With skirt and integrated tiling flange Gloss finish resistant to stains and discoloration Acrylic thermoformed and reinforced with fiberglass

WATER CAPACITY:	IMMERSION:			
86 gallons	16 ро			
BOX SIZE:				
68" x 37" x 25"	8" x 37" x 25"			
NET WEIGHT:	GROSS WEIGHT:			
91 lbs	109 lbs			

The electronic control will be installed on the same side as the tiling flange.

GENERAL OPTIONS					
Acrylic Colors: White	Standard				
Biscuit* and Bone* (Allow 3 weeks delivery)					
Others*: (Allow 6 to 8 weeks delivery)					
Available in right or left version (integrated tiling flange)					
Chromotherapy 1 light (Specify trim color)	17.99999.0000.00				
Chromotherapy 2 lights (Specify trim color)	17.99999.0001.00				
Chromotherapy 4 lights (Specify trim color)	17.99999.0002.00				
Handle (max. 2) (submit drawing with order)	95.7077.106.XX				
ZORA 66 Removable Skirt					
D105 Waste (20") Chrome	62.4020.102.60				
Gel black neck pillow (12"x 4 1/4 x 1 1/4")	18.6000.100.20				
Rayola** (Specify control color)					
WHIRLPOOL OPTIONS					
A bathtub fitted with back jets may cause the pump to protr from the overall dimension.	ude by +/- 3"				
Whirlpool Jet finish: Chrome, White, Biscuit, Bone	Standard				
110v Inline Heater					
MASS-AIR/ACTIV-AIR OPTIONS					
Mass-Air Jet finish: White/Chrome Biscuit/Chrome Bone/Chrome	Standard				

An extension cord and blower hose extension are necessary when the blower is located more than 2' from the electronic control, not available on whirlpool combos.

	Z03666

## Whirlpool

Z03666T

Included: 6 square turbo jets, 5 square micro-rotating back jets, 13 A pump, diverter valve and electronic control..



## Mass-Air

Included: 16 (11-5) injectors, Optima blower 750W (1 1/2h.p.) with 300W heating element and backlit electronic control.

	_
•	
***************************************	
P	₹I
*********	

### Activ-Air

Z03666A

Z03666M

Included: 48 micro-jets, Optima blower 750W (1 1/2h.p.) with 300W heating element and backlit electronic control.



## Mass-Air/Whirlpool Combo

Z03666C Included: 6 square turbo jets, 5 square micro-rotating back jets, 11 Mass-Air injectors, 13 A pump, Optima blower 750W (1 1/2h.p.) with 300W heating element, diverter valve and backlit electronic control.



## Activ-Air/Whirlpool Combo

Z03666CA

Included: 6 square turbo jets, 5 square micro-rotating back jets, 44 Activ-Air micro-jets, 13 A pump, Optima blower 750W (1 1/2h.p.) with 300W heating element, diverter valve and backlit electronic control.



\*\*\*\*\*\*\*

#### Mass-Air/Activ-Air Combo **Z03666CMA**

Included: 48 Activ-Air micro-jets, 11 Mass-Air injectors, two Optima blowers 750W (1 1/2h.p.) with 300W heating element and backlit electronic control

#### Activ-Air/Mass-Air/Whirlpool Combo Z03666TAM

Included: 6 square turbo jets, 5 square micro-rotating back jets, 44 Activ-Air micro-jets, 11 Mass-Air injectors, 13 A pump, two Optima blowers 750W (1 1/2 h.p.) with 300W heating element, diverter valve and backlit electronic control.



COMPLIANCE ATTESTATION Standard bathtubs CAN / CSA.B45.5 Hydromassage Standards CAN / CSA.B45.10 / CSA.C22.2 / UL-1795

Others: Chrome/Chrome Activ-Air Jet finish: Chrome, White, Biscuit, Bone

\*Customized products, non cancellable, non returnable

Blower Hose extension 72"

Blower Hose extension 96'

\*\*Not available with a neck pillow.

144" Extension cord



## Certification ECORESPONSIBLE

First manufacturer of bathroom products in North America to be certified ecoresponsible.

Standard

95.5013.167.00

95.5013.168.00

95.3012.101.00






Phone: (450) 773-7058 - produitsneptune.com



# **ZORA 3666** RIGHT DRAIN WITH INTEGRAL SKIRT

Bathtub




\*A bathtub fitted with back jets can cause the pump to protrude by approximately 3" from the overall dimension.

\*\*All dimensions are approximate and subject to change without notice. Please refer to the installation guide before beginning the installation



## **ZORA 3666** LEFT DRAIN WITH INTEGRAL SKIRT

Bathtub



\*A bathtub fitted with back jets can cause the pump to protrude

by approximately 3" from the overall dimension.

\*\*All dimensions are approximate and subject to change without notice. Please refer to the installation guide before beginning the installation